



Revision number: 1

Purchasing Agent: David Gill

Phone: (801) 538-3254

Email: dgill@utah.gov

Item: TRAFFIC CONES 36", 28", 18" & 12" SIZES

Vendor: 18456D Interstate Barricades
858 North McCormick Way
Layton, UT 84041

Remit To:

Internet Homepage: www.interstatebarricades.com

Contact: Brandon Hardison
Telephone: (801) 546-0220
Fax number: (801) 546-0233
Email address: intbar@msm.com

Reporting type: Line Item

Brand/trade name: WORK AREA

Price: See Price List on Page 2
Terms: Net 30
Effective dates: 05/31/05 through 05/30/08
Potential renewal options remaining: Two 1-year renewals
Days required for delivery: 1-2 WEEKS
Price guarantee period: 6 Months to November 30, 2005
Freight:
Minimum order: 100 pieces per size to UDOT – All others no minimum order
Min shipment without charges:
Other conditions: Potentially renewable to 05/30/10

Revision #1: Price changes on page 2

BID NO. GL5053.

This contract covers only those items listed in the price schedule. It is the responsibility of the agency to ensure that other items purchased are invoiced separately. State agencies will place orders directly with the vendor (creating a PG in Finet) and make payments for the same on a PV referencing the original PG. Agencies will return to the vendor any invoice which reflects incorrect pricing.



- | | | | |
|----|-------------------|---|-------------------------|
| 1- | Traffic Cones 36" | @ | \$11.45/Ea. (Delivered) |
| 2- | Traffic Cones 28" | @ | \$8.57/Ea. (Delivered) |
| 3- | Traffic Cones 18" | @ | \$5.25/Ea. (Delivered) |
| 4- | Traffic Cones 12" | @ | \$3.77/Ea. (Delivered) |

SPECIFICATIONS FOR BID TRAFFIC CONES ASSORTED SIZES:

MATERIALS: The cone shaped section shall be of a flow-molded polyvinyl chloride. The outside to be of a fluorescent red/orange and the inner liner to be white. The weighted base shall also be of a polyvinyl chloride material and shall be fused to the unit. The fluorescent red/orange to be compounded with ultraviolet absorbing material for longer life. Top of cone to have a 1-1/4" diameter hole, 1/16" plus or minus, to accommodate a flag.

WEIGHT: minimum of nine (9) pounds for 36" cones.

BASE DIMENSIONS: Approximately 14 Square inches.

HEAT RESISTANCE: No slump after 8 hours at 160 degrees Fahrenheit.

COLD RESISTANCE: Low temperature impact strength 10-Ft. lbs. (minimum-10 degrees Fahrenheit.).

TENSILE STRENGTH: 1000-psi minimum.

ELONGATION: 200%

ANGLE OF RECOVERY: 70 degrees.

FEDERAL STANDARDS: Must comply with Manual of Uniform Traffic Control Devices Standards.

LEGEND: For all items ordered by the Department of Transportation "U.D.O.T" to be stenciled in 2" lettering on two sides of cone. The "UDOT" stencil shall be plainly visible for a period of 5 years.

SHIPPING

REQUIREMENTS: Cones shall be stacked in such a manner that they will not stick together. Minimum Quantity per stack shall be 25 each.



REPORTS:

The contractor will submit quarterly reports to the State Purchasing Agent showing quantities and dollar volume of purchases by each agency and political subdivision.

FINET COMMODITY CODE(S): FOR AGENCY USE ONLY

55078000000 - TRAFFIC CONES, LANE MARKERS, AND BARRICADES (PORTABLE)

REVISION HISTORY:

Revision #1: Price changes on page 2